Don Brown Bus Sales
703 County Hwy 107, Johnstown, NY 12095
(518) 774-7424 • https://www.buscrazy.net

2028 Magellan Type A school bus on Chevrolet

15 Passengers + 5 Wheelchairs + Driver

SPEC SHEET

Stock #97964 • VIN CB0542

PRICE

$119,995

As of 2026-11-23

DonBrown BUS SALES, INC.
2028 Magellan Type A school bus on Chevrolet
15 Passengers + 5 Wheelchairs + Driver



STOCK #97964

BUSCRAZY.NET · (518) 774-7424

Seating layout shown for reference. Specifications subject to change without notice.

Questions or a quote on this unit? Call (518) 774-7424

https://www.buscrazy.net • Real people in Johnstown, NY. Delivered nationwide.

Exterior

- LOC EXT BHD DOD FLOOR LINE

Body & Construction

- Core components, DRW high headroom elevated floor model 5 section +16" wheelchair rear door. Flat floor (no wheelwells), 76" interior headroom, 25"X82" entrance door, 96" overall width, all-galvanized-steel construction. Body fully insulated.
- Endcaps fiberglass front and rear exterior for use with Magellan school bus warning lights on DE units
- Exterior steel rear corner skins left and right, driprail and below emergency exit rear door for DE units
- Exterior aluminum left and right roof skins for DRW 516 (5section+16) units
- Exterior steel left and right side skins, behind and above driver skins, and below wheelchair lift for DE 516 (5section+16) WR units
- SKIRT DE 516 STL
- No Storage/No Battery Box, steel skirt
- Mud Flaps Rear DE
- Flooring gray rubber, 1/8" smooth rubber under seats, 3/16" ribbed center aisle rubber 15" wide.
- Flooring step treads, DRW standard and elevated floor models, gray ribbed tread with integral white ribbed nosing.
- Plywood subfloor for DH/E516 units, 5/8" thick, marine grade
- Standee marker 2 inch wide white placed at front of aisle, includes decal "NO STANDEES FORWARD OF WHITE LINE".
- Interior panels below window, embossed aluminum, elevated floor 516 wheelchair lift units.
- Interior Panels Rear Wall DRW with Exit Door, with AC cutout.
- Interior panels upper, perforated noise suppression ceiling, aluminum, painted white for DRW 516 units.
- Rubrails, floor level side rubrails , 4.6" tall X 16 ga steel.
- Rubrails, seat level side rubrails that wrap around the rear of the bus to the emergency door. Incl. sep. seat level rail for single lift door, 4.6" tall X 16 ga steel.
- Rubrails, window level side rubrails , 4.6" tall X 16 ga steel.
- RUBRAIL NONE AT SKIRT LEVEL
- Rubrails painted black color. (3)
- Window Transition Chevy glass, AS2 tempered clear glass
- Window located in upper portion of lift door with AS3 32% tinted tempered glass, rubber mounted.
- Windows Rear Body SL/SH with Rubber Mounted AS3 Tempered 32% Tinted Glass

Body & Construction (cont.)

- Window Rear Door Lower Rubber Mounted AS3 Tempered 32% Tinted Glass
- Window Rear Door Upper Rubber Mounted AS3 Tempered 32% Tinted Glass
- Window Split Sash 36" with AS3 Tempered 26% Tinted Glass, providing an unobstructed 12 x 28 opening when upper sash is lowered. (9)
- Window Split Sash 36" RH and LH Vertical Egress Hinge, Release Handle, Buzzer, Interior/Exterior Signage, and Yellow Exterior Reflective Tape.
- Undercoat body components, chassis components such as driveline, brake lines, wiring, exhaust system are not undercoated NJ Spec.
- Exhaust pipe to be flush with bumper or side (+0.25"/-0.00"), otherwise exhaust pipe extends 1" to 1.5" from bumper or body
- Install OEM hub caps at factory, Chevy and Transit units only, hub caps will NOT be included if not selected.

Chassis

- 2026 Chevrolet — 159" wheelbase, 6.6L gas engine, 12,300 lb GVWR

Chassis & Running Gear

- Chassis (Required, Quantity Must = 1)
- Bumper 10" x 3/16 galvanneal steel channel DRW, wrap around extending forward at least 12" with protecting end caps, for use with exhaust pipe routed under the bumper or to the side.
- Bumper Brace to attach to frame side, DE/DH 516 models, all Gas and Diesel exhaust systems.
- Fuel system protection and preperation for Chevy gas chassis elevated floor 159"WB
- PARTS REQUIRED TO BUILD SPECIFIC BODY MODEL ON SPECIFIC CHASSIS BRAND (CHEVY ELEV 516WR)
- Chevy 500/516 exhaust left exit gasoline
- Mud flaps, front, flat

Climate & Ventilation

- A/C 70K ACT dual compressor, 2 fan, CS-2 skirt mount condenser, dash & EV20 in-wall evaporators, Chevy gas.
- Heater 60K wall mount located in right rear corner of bus behind W/C lift of Chevy units with unleaded engine, includes 2 shutoff valves, BLEEDER VALVE
- Heater shut off valve, cable operated with cable operator located on the dash, use on GM units only to relocate handle from under hood to dash.

Climate & Ventilation (cont.)

- Roof Hatch Transpec Low Profile Triple Value Safety Vent II w/ Non-closeable Static Exhaust Vent Model 1175,1" White Tape on Ext. Perimeter, Activate Buzzer when Opened w/ Ignition on, Emergency Exit Decals, Operating Instructions, Not Approved For Canada

Electrical

- Battery tie-in for 2021+ Chevy gas units with no battery box. Locate additional battery on RH side frame rail. Customer will need to order an additional battery 220-11-12 to locate on RH side frame rail. The OEM battery stays under the hood on a gas chas
- Delete 2nd Battery from Frame Rail
- Light, red over rear emergency door on the interior of bus that is illuminated when the headlights are turned on.
- Backup-alarm 112dBA that is activated upon placing the bus in reverse gear, wired through the ignition.
- Radio, OEM supplied, 4 speakers. Provides tie-in harness to main chassis.
- Core electrical items for all Chevy buses with higher option content including Elect. Board, switch panel, buzzer, domes, step lights, and main harness

Doors & Entry

- Door, entrance, black aluminum frame with full-length tempered AS2 glass for DE units
- Door entrance control, manual with positive over-center locking handle in both open and closed positions, for glass doors.
- Rear egress door, RH (curbside) hinge, aluminum construction, select glass rear door upper/lower separately.
- Rear door hinge continuous stainless steel
- Rear Door Latch three point latch, one at top, center and bottom of door. Red interior handle and web style non-hitching exterior handle.

Wheelchair & Paratransit

- Door for wheelchair lift, single leaf 44"W X 65"H with forward hinge, includes gas spring as hold-open.
- Floor track for DE516WR-Chevy units, L-series 4 rows of track for left hand seat/wheelchair mounting.
- Floor track for DE516WR units, L-series 4 rows of track for right hand seat/wheelchair mounting.
- INSTALL SEAT TO TRACK (7)
- Wheelchair lift, Braun Century NCL1000IB3351HB-2, meets ADA and FMVSS 403/404 requirements, spring loaded rollstop, economical lightweight design, parallel arm,gravity down, WITH restraining belt. 1000# Lift.
- Interlock supplies power to lift when transmission is in park, emergency brake applied, and lift door is open. Shift lever is locked when power is supplied to lift. Lift operates when ignition is on. Has LED display panel that indicates whi
- Wheelchair location "L1" LH rear row, designates location covered by seats only and includes no anchors or belts.
- Wheelchair location "L2" LH second row from rear, designates location covered by seats only and includes no anchors or belts.
- Wheelchair location "L3" LH third row from rear, designates location covered by seats only and includes no anchors or belts.
- Wheelchair location "R2" RH second row from rear, designates location covered by seats only and includes no anchors or belts.
- Wheelchair location "R3" RH third row from rear, designates location covered by seats only and includes no anchors or belts.
- Wheelchair securement Q'Straint belt kit & bag with deluxe retractors for L-track. (5)
- Light located on exterior under lift door, comes on when lift door is opened.
- Floodlight on lift door
- Dome lights (2) over lift area, activated by door opening. (IN ADDITION TO STANDARD DOME LIGHTS.)
- Light, 2" red, above driver mounted, comes on when lift door is ajar, non-flashing
- Decal, Universal accessibility symbol, 6" x 6" New York Modern Motion Figure. Location is the exterior of the lift door. (3)

Safety Equipment

- Child alert system with dome lights; armed by warning lights or door; after ignition off, an audible alert signals driver to check bus; horn will sound after 8 seconds if not disarmed or ignition not in on position; to disarm, ignition on and push button
- Backup camera safety system with 7" mirror monitor. OEM GM <10K GVWR
- Warning lights, four red & four amber halogen 7"
- Warning light system, 8 light, non-sequential, wired through ignition, Master switch, Warning Start switch.
- Triangle warning reflectors (set of three).
- Fire blanket
- Fire extinguisher, 2-1/2 lb., 1A 10 BC. (steel head), may only be mounted near entrance door.
- Engine Fire Alarm for New York; automatic signal device to warn the driver (light or buzzer) of fire in the engine compartment. Device activates whenever the temperature in the engine compartment reaches 350F or above
- Seat belt cutter, loaded loose in driver compartment.
- Body fluids kit in metal case for AL, AR, CO, CT, KS, MA, MN, MO, ND, PA, SD, UT, WI, WY, WV
- First aid kit 10 Unit for New York, 1-24 passengers
- Stop Arm 2 Lights High Int LED Strobe T6100-101-E21 - PLASTIC

Interior

- Grabrail 42" long 1 1/4 dia. stainless, mounted left of entry on RH barrier, designed to prevent entanglement (Passes NHSTA string and nut test)
- Mirror interior clear view back bonded glass, rounded corners and protected edges, 6 x 30 flat. Installed above drivers head on front bulkhead. Interior mirror providing the driver a clear view of interior and rear exit door.
- Window Split Sash Opening 5" Limit With Stop Placed in Track
- Vandal lock for Chevy, permits manual lock of rear emergency door from inside while bus not in use, with buzzer and visual indicator on panel. Engine will not start until lock is disengaged, warning buzzer will activate to alert driver lock is engaged.
- Headknockers to comply with FMVSS 222; foam pads covered with gray fire block upholstery.
- Pad over driver door covered with gray fire block upholstery.

Lighting

- Brake/tail lights LED with separate license plate light, (2) 4" flush mount
- brake/tail lights, 2- 7" LED type
- Clearance lights LED type; row of three red lights on rear of bus and single reds on left & right rear, row of three amber lights on front of bus with single ambers on left and right front sides. Lights are low profile grommet mount.
- Four domelights are powered through the ignition, will only function when ignition is turned on and dome light switch is on.
- Drivers dome light tied to OEM drivers door open circuit, comes on when drivers door is open, will time itself out when door is shut.
- Lamps, turn signal amber LED rear 7"
- Lamps, backup white (2) 4" flush mount LED
- Lights, stepwell lights are illuminated by a DOD operated switch so as to light only when the headlights and clearance lights are on and the DOD is open.
- Lights, turn signal, amber LED 2" below side bodyrail and behind entrance doors. Mount with armor.
- Light, center brake light, located at rear exterior endcap above rear door, works in conjunction with the brake lights. (NJ Spec)
- LED lights for endcap sign, turned on-off by switch, lettering not included. Use with 770-02-12 reflective sign.

Exterior Mirrors

- Remote Heated Rearview and Crossview mirror system w/ black bracketry for GM DRW buses. ROSCO AccuStyle 8"x15" dual Rearview mirror incl. 7"x9.5" flat and 7"x4" convex mirror glass, with Heated EyeMax LP Crossview mirrors.

Paint & Signage

- Paint body exterior yellow, Chevy DH/DE buses.
- Paint scheme with black borders around warning lights extending approximately 3 inches inboard of warning lights to vertical inner border. Endcap areas around black gelcoat regions are painted body color including center portion of front and rear caps.
- Tape, reflective two inch yellow, outline sides/rear of DH/DE units
- Endcap signage "SCHOOL BUS" decals 8" high black letters with 1" stroke on yellow reflective background, includes front and rear.
- Signage, identification, "Magellan"
- Decal "PASS CAPACITY" 2in black, front bulkhead
- Additional information added to Certification Label "Approved Seat Plan Number", NY spec.

PRICING BREAKDOWN

Purchase Price	$119,820.00
Document Fee	$175.00
TOTAL PRICE	**$119,995.00**

EST. NO MONEY DOWN LEASE & LOAN PAYMENTS

	LEASE / mo	LOAN / mo
5 YEAR / 60 MONTHS	$1,891.80	$2,452.54
4 YEAR / 48 MONTHS	$1,903.49	$2,959.37
3 YEAR / 36 MONTHS	$2,038.47	$3,807.24

Monthly payments are estimates based on approved credit — call for financing terms. Tax, title and tags not included in total.

Price does not include sales tax, registration, title, or licensing fees, or any other taxes, fees, or charges required by state or federal law. All such taxes and fees are determined at time of sale and are the responsibility of the purchaser.

Price and availability subject to change. Call to confirm before purchase.